



Philips Power supply

I,25 m Mains connector lead

Ensure a reliable connection

with this power supply cable

Depend on this cable to provide you with a reliable connection between component and outlet

Easy installation

· Non-slip ergonomic grip for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

· Environmentally friendly lead-free construction



Specifications

Packaging dimensions

- EAN: 87 12581 41731 4
- Number of products included: I
- Packaging type: Blister
- Packaging dimensions (W x H x D): 9.5 x 23.5 x 4 cm
- Nett weight: 0.072 kg
- Gross weight: 0.094 kg
- Tare weight: 0.022 kg

Outer Carton

- EAN: 87 12581 41737 6
- Number of consumer packagings: 36

- Outer carton (L x W x H): 61 x 27.5 x 28.5 cm
- Nett weight: 2.592 kg
- Gross weight: 4.8 kg
- Tare weight: 2.208 kg

Inner Carton

- EAN: 87 12581 41736 9
- Number of consumer packagings: 6
- Inner carton (L \times W \times H): 25 \times 20 \times 13 cm
- Nett weight: 0.432 kg
- Gross weight: 0.69 kg
- Tare weight: 0.258 kg

SWA2708W/10

Product highlights

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Lead-free construction

Lead-free construction of environmentally friendly materials.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.



Issue date 2009-03-03

 $\textcircled{\sc c}$ 2009 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 1.0.5

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 39413 EAN: 87 12581 41731 4

www.philips.com